



**Indonesia Robusta AP1, Grade.2, ELB 350 bc**

*Physical description:*

Moisture:	max 12.5% (ISO 1447)
Beans count:	max 350 beans per 100gr
Defects beans:	max 11-24 defects
Polished degree:	min 90%

*Cup-test description :*

**Indonesia Robusta AP1, Grade.2, ELB 400 bc**

*Physical description:*

Moisture	max 12.5% (ISO 1447)
Beans count	max 400 beans per 100gr
Defects beans:	max 11-24 defects
Polished degree	min 90%

*Cup-test description :*

**Indonesia Robusta AP1, Grade.2, ELB 425 bc**

*Physical description:*

Moisture	max 12.5% (ISO 1447)
Beans count	max 425 beans per 100gr
Defects beans:	max 11-24 defects
Polished degree	min 90%

*Cup-test description :*

**Indonesia Robusta AP1, Grade.2, Normal bean**

*Physical description:*

Moisture	max 12.5% (ISO 1447)
Defects beans:	max 11-24 defects
Polished degree	min 90%

*Cup-test description :*

**Indonesia Robusta AP1, Grade.3, ELB 350 bc**

*Physical description:*

Moisture	max 12.5% (ISO 1447)
Beans count	max 350 beans per 100gr
Defects beans:	max 25-45 defects
Polished degree	min 90%

*Cup-test description :*



**Indonesia Robusta AP1, Grade.3, ELB 400 bc**

*Physical description:*

Moisture	max 12.5% (ISO 1447)
Beans count	max 400 beans per 100gr
Defects beans:	max 25-45 defects
Polished degree	min 90%

*Cup-test description :*

**Indonesia Robusta AP1, Grade.3, ELB 425 bc**

*Physical description:*

Moisture	max 12.5% (ISO 1447)
Beans count	max 425 beans per 100gr
Defects beans:	max 25-45 defects
Polished degree	min 90%

*Cup-test description :*

**Indonesia Robusta AP1, Grade.3, ELB 450 bc**

*Physical description:*

Moisture	max 12.5% (ISO 1447)
Beans count	max 450 beans per 100gr
Defects beans:	max 25-45 defects
Polished degree	min 90%

*Cup-test description :*

**Indonesia Robusta AP1, Grade.3, Normal bean**

*Physical description:*

Moisture	max 12.5% (ISO 1447)
Defects beans:	max 25-45 defects
Polished degree	min 90%

*Cup-test description :*

**Indonesia Robusta EK1, Grade.2, ELB 350 bc**

*Physical description:*

Moisture	max 13% (ISO 1447)
Beans count	max 350 beans per 100gr
Defects beans:	max 11-24 defects

*Cup-test description :*



**Indonesia Robusta EK1, Grade.2, ELB 400 bc**

*Physical description:*

Moisture max 13% (ISO 1447)  
Beans count max 400 beans per 100gr  
Defects beans: max 11-24 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.2, ELB 425 bc**

*Physical description:*

Moisture max 13% (ISO 1447)  
Beans count max 425 beans per 100gr  
Defects beans: max 11-24 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.3, ELB 350 bc**

*Physical description:*

Moisture max 13% (ISO 1447)  
Beans count max 350 beans per 100gr  
Defects beans: max 25-45 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.3, ELB 400 bc**

*Physical description:*

Moisture max 13% (ISO 1447)  
Beans count max 400 beans per 100gr  
Defects beans: max 25-45 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.3, ELB 425 bc**

*Physical description:*

Moisture max 13% (ISO 1447)  
Beans count max 425 beans per 100gr  
Defects beans: max 25-45 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.3, ELB 450 bc**

*Physical description:*

Moisture max 13% (ISO 1447)  
Beans count max 450 beans per 100gr  
Defects beans: max 25-45 defects

*Cup-test description :*



**Indonesia Robusta EK1, Grade.4a, 60 defects**

*Physical description:*

Moisture max 13% (ISO 1447)

Defects beans: max 46-60 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.4b, 80 defects**

*Physical description:*

Moisture max 13% (ISO 1447)

Defects beans: max 61-80 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.4b, 100 defects**

*Physical description:*

Moisture max 13% (ISO 1447)

Defects beans: max 81-100 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.5, 120 defects**

*Physical description:*

Moisture max 13% (ISO 1447)

Defects beans: max 100-120 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.5, 150 defects**

*Physical description:*

Moisture max 13% (ISO 1447)

Defects beans: max 121-150 defects

*Cup-test description :*

**Indonesia Robusta EK1, Grade.6, max 225 defects**

*Physical description:*

Moisture max 13% (ISO 1447)

Defects beans: max 151-225 defects

*Cup-test description :*

**Indonesia Robusta, 20/25% triages, 1% Foreign matter**

**Indonesia Flores Robusta**

**Indonesia Bali Robusta**